

# SAGOLA

## 3300 GTO

SUCTION SPRAY GUN



elcometer®

Light, robust and ergonomic, the Sagola 3300 GTO is ideal for enamels, varnishes, primers and basecoats.

# SAGOLA

## 3300 GTO

SUCTION SPRAY GUN



CA

- **High speed application & large fan size** with low air consumption
- **Minimal maintenance** no gaskets, rubber or plastic parts in product area, just metal in contact with metal
- **EPA aircaps, stainless steel needles & nozzles** for a high quality spray, whatever the coating

## TECHNICAL SPECIFICATION



Model				Sagola 3300 GTO Suction Spray Gun			
Cup Capacity	1 litre (33.81fl oz)			Cup Type	Aluminium Suction Cup		
Product Inlet Coupling	9.5mm (3/8") BSP Male			Air Inlet Coupling	6.35mm (1/4") BSP Male		
Average sound pressure level	80 dB						
Design Pressure	8bar (116psi)						
Working Pressure	2 - 3bar (29 - 43.5psi)						
Compliance	ATEX II 2G x (Directive 2014/34/EU), EN 1953, CE						
Dimensions without Cup	173 x 172 x 42mm (6.81 x 6.77 x 1.65")			Weight	504g (1.11lbs)		
Packing List	Sagola 3300 GTO Suction Spray Gun with aircap, needle & nozzle kit (supplied fitted), Hexagonal Wrench & Cleaning Brush						

## APPLICATION GUIDE

### Sagola 3300 GTO EPA Aircap

Needle, Nozzle & [Aircap]	Suitable For	Working Pressure Range	Air Consumption at 2bar (29psi)	Output Flow (average)	Application Distance	Fan Width (max)
1.40	High quality finished, dyes, metallics	2 - 3bar (29 - 43.5psi)	240lpm (8.14cfm)	179g/min (6.3oz/min)	15 - 18cm (5.0 - 7.0")	245mm (9.6")
1.60	General finishes	2 - 3bar (29 - 43.5psi)	240lpm (8.14cfm)	156g/min (5.5oz/min)	15 - 18cm (5.0 - 7.0")	225mm (8.9")
1.80	Primers & finishes	2 - 3bar (29 - 43.5psi)	240lpm (8.14cfm)	184g/min (6.5oz/min)	15 - 18cm (5.0 - 7.0")	245mm (9.6")

## PART NUMBERS

Spray Gun Kit	Needle & Nozzle Size		Aircap Type	
			GTO EPA	HVLP
 Sagola 3300 GTO	<b>1.40</b>		<b>PG10120910</b>	-
	<b>1.60</b>		<b>PG10120911</b>	-
	<b>1.80</b>		<b>PG101520912</b>	-
Aircap Only			<b>PT56418645</b>	<b>PT56418658</b>
Needle & Nozzle Kits	Reference	Part Number	Description	
	<b>1.40</b>	<b>PT10011181</b>	1.40mm Needle and Nozzle Kit	
	<b>1.60</b>	<b>PT10011182</b>	1.60mm Needle and Nozzle Kit	
	<b>1.80</b>	<b>PT10011183</b>	1.80mm Needle and Nozzle Kit	

## ACCESSORIES

Part Number	Description
<b>PT40000335</b>	RC2 Economy Air Flow Regulator with Analogue Pressure Gauge
<b>PT56418014</b>	1 litre (33.8floc) Suction Cup Product Filter, Pack of 10
<b>PT56418074</b>	1 litre (33.8floc) Suction Cup Complete Kit
<b>PT56418013</b>	1 litre (33.8floc) Suction Cup Anti-Drip Lid, Pack of 5
<b>PT56418509</b>	1 litre (33.8floc) Suction Cup Closing Washer
<b>PT56418669</b>	Air Valve Kit
<b>PT56418494</b>	Air Valve Gasket, Pack of 6
<b>PT54110012</b>	Air Valve Seat
<b>PT57212211</b>	Packing Gland
<b>PT56418679</b>	Aircap Gasket & Spring Clip Kit
<b>PT56418682</b>	Aircap Gasket, Pack of 5

For a complete list of spares / replacements parts - see Spare Parts.

**elcometer**<sup>®</sup>  
www.elcometer.com

**ENGLAND, UK**

Elcometer Limited  
+44 (0)161 371 6000  
sales@elcometer.com  
www.elcometer.com

**FRANCE**

Elcometer Sarl  
+33 (0)2 38 86 33 44  
fr\_info@elcometer.com  
www.elcometer.fr

**GERMANY**

Elcometer Instruments GmbH  
AALEN: +49 (0) 7361 52806 0  
LEER: +49 (0) 7361 528 06 60  
de\_info@elcometer.com  
www.elcometer.de

**THE NETHERLANDS**

Elcometer B.V.  
+31 (0)30 259 1818  
nl\_info@elcometer.com  
www.elcometer.nl

**SPAIN**

Sagola SA  
+34 945 214 150  
sagola@sagola.com  
www.sagola.com

**JAPAN**

Elcometer KK  
+81 (0)3 6869 0770  
jp\_info@elcometer.com  
www.elcometer.co.jp

**REPUBLIC OF SINGAPORE**

Elcometer (Asia) Pte Ltd  
+65 6462 2822  
asia@elcometer.com  
www.elcometer.com

**UNITED ARAB EMIRATES**

Elcometer LLC  
+971 4 295 0191  
+971 4 280 3526  
uae\_sales@elcometer.com  
www.elcometer.ae

**UNITED STATES OF AMERICA**

Elcometer Inc  
WARREN, MI: +1 248 650 0500  
HOUSTON, TX: +1 713 450 0631  
Toll Free: 800 521 0635  
inc@elcometer.com  
www.elcometer.com

Elcometer is a registered trademarks of Elcometer Limited. Sagola DPC is a trademark of Elcometer Limited. All other trademarks are acknowledged.

Due to our policy of continuous improvement, Elcometer Limited reserves the right to change specifications without notice.

All products are covered by a comprehensive warranty, for more information visit [www.elcometer.com/warranty](http://www.elcometer.com/warranty).

© Elcometer Limited, 2023. All rights reserved. No part of this document may be reproduced, transmitted, stored (in a retrieval system or otherwise), or translated into any language, in any form, or by any means, without the prior written permission of Elcometer Limited.