

SAGOLA

MINI XTREME MIX

AIR ASSISTED AIRLESS SPRAY GUN



elcometer®

Waterborne paints on complex shapes or hard to reach areas ideal for French Polishers requiring high quality finishes of UV.

SAGOLA

MINI XTREME MIX

AIR ASSISTED AIRLESS SPRAY GUN



AA

- **Compact, lightweight & easy to use**
360° revolving swivel for ease and comfort of operation. Prevents hoses from coiling up
- **Comfortable and Lightweight**
Small and lightweight air assisted airless spray gun, ideal for comfort and ease of use
- **Versatile**
Designed for use with any air assisted airless pump up to 200bar (2900psi) fluid pressure

COMPLIANCE:

ATEX  2 II GX

(Directive 2014/34/EU)

TECHNICAL SPECIFICATION

Model	Sagola Mini Xtreme Mix		
Dimensions With Cup	172 x 190 x 182mm (6.78 x 0.75 x 7.18")	Weight	555g (1.22lbs)
Air Inlet Coupling	M16		
Product Inlet Coupling	6.35mm (¼") BSP Male		
Product Filter	100 Mesh		
Design Pressure	200bar (2900psi)		
Working Pressure (WP)	150 - 200bar (2175 - 2900psi)		
Air Consumption (at Aircap)	150lpm		
Compliance	ATEX II 2G x (Directive 2014/34/EU)		
Packing List	Sagola Mini Xtreme Mix Spray Gun, Sagola Mini Xtreme Mix Aircap, 100 Mesh Product Filter (x1), Yellow Spring (Max WP 120 bar / 1740 psi), Red Spring (Max WP 200 bar / 2900 psi), Cleaning Brush, Wrench, Tungsten Carbide Needle & Nozzle Kit Kit & Air Assisted Airless Spray Tip (x1)		

PART NUMBERS

Product Code	Fix Spray Tip	Air Inlet	Product Inlet
PG35130202	11/40	Quick connector 8mm	Swivel coupling ¼"
PG35130206	13/40	Quick connector 8mm	Swivel coupling ¼"
PG35130204	11/40	M16 coupling	Swivel coupling ¼"
PG35130208	13/40	M16 coupling	Swivel coupling ¼"
PG35130201	11/40	Quick connector 8mm	Standard coupling ¼"
PG35130205	13/40	Quick connector 8mm	Standard coupling ¼"
PG35130203	11/40	M16 coupling	Standard coupling ¼"
PG35130207	13/40	M16 coupling	Standard coupling ¼"

ACCESSORIES & SPARES

Part Number	Description
PT56418053	Spray Gun Product Filter - 100 Mesh (x10)
PT56418054	Spray Gun Product Filter - 60 Mesh (x10)
PT56410104	Spray Gun Product Filter Holder
PT56418057	Spray Gun Product Filter Kit includes Product Filter Holder, 100 Mesh Product Filter (x1) & 60 Mesh Product Filter (x1)
PT56410768	Sagola Mini Xtreme Mix Aircap
PT10011250	Sagola Mini Xtreme Mix Tungsten Carbide Needle & Nozzle Kit
PT54710288	Yellow Spring (for Max Working Pressure 120 bar / 1740 psi)
PT54710289	Red Spring (for Max Working Pressure 200 bar / 2900 psi)
PT56418612	Air Valve Kit
PT50810202	Needle Guide Box Closing Washer
PT54110012	Air Valve Seat
PT56418614	Needle Packing Kit

For a complete list of spares / replacements parts - see Spare Parts.

Sagola Airless Assisted Airless Pressure Spray Gun Tips

AIR ASSISTED AIRLESS SPRAY TIPS

Application	Tip	Nozzle	Spray angle	Spray width at 30cm (11.8")	Air flow at 100bar (1450psi)	Part Number
Finishes	09/25 Standard	0.23mm (0.009")	25°	140mm (5.67")	0.25lpm	PT81460518
	09/40 Standard	0.23mm (0.009")	40°	178mm (7.01")	0.25lpm	PT81460519
	11/40 Standard	0.28mm (0.011")	40°	190mm (7.48")	0.37lpm	PT81460529
	11/65 Standard	0.28mm (0.011")	65°	254mm (10.0")	0.37lpm	PT81460531
Basecoats and Primers	13/40 Standard	0.33mm (0.013")	40°	-	0.57lpm	PT81460540
	13/65 Standard	0.33mm (0.013")	65°	-	0.57lpm	PT81460542
	13/80 Standard	0.38mm (0.015")	80°	-	0.57lpm	PT81460543
	15/25 Standard	0.38mm (0.015")	25°	178mm (7.01")	0.72lpm	PT81460549
	15/40 Standard	0.38mm (0.015")	40°	216mm (8.50")	0.72lpm	PT81460550
	15/50 Standard	0.38mm (0.015")	50°	254mm (10.0")	0.72lpm	PT81460551
	15/65 Standard	0.38mm (0.015")	65°	279mm (10.98")	0.72lpm	PT81460552
15/80 Standard	0.38mm (0.015")	80°	330mm (12.99")	0.72lpm	PT81460553	
High Viscosity Products	18/40 Standard	0.46mm (0.018")	40°	254mm (10.0")	-	PT81460575
	18/65 Standard	0.46mm (0.018")	65°	330mm (12.99")	-	PT81460577
	21/40 Standard	0.53mm (0.021")	40°	279mm (10.98")	1.52lpm	PT81460590
	21/80 Standard	0.53mm (0.021")	80°	-	1.52lpm	PT81460593

Other tips sizes are available. Contact Elcometer for details

ACCESSORIES & SPARES

Part Number	Description
PT30010015	Air Assisted Airless Spray Tip Micro Filter, Pack of 10 (Use behind the spray tip to improve atomization quality)
PT83660037	Air Assisted Airless Spray Tip 100 Layer Filter (Use behind the spray tip to improve atomization quality. Made up of 100 horizontal layers to last longer than the standard micro filters)



elcometer[®]
www.elcometer.com

ENGLAND, UK

Elcometer Limited
+44 (0)161 371 6000
sales@elcometer.com
www.elcometer.com

FRANCE

Elcometer Sarl
+33 (0)2 38 86 33 44
fr_info@elcometer.com
www.elcometer.fr

GERMANY

Elcometer Instruments GmbH
AALEN: +49 (0) 7361 52806 0
LEER: +49 (0) 7361 528 06 60
de_info@elcometer.com
www.elcometer.de

THE NETHERLANDS

Elcometer B.V.
+31 (0)30 259 1818
nl_info@elcometer.com
www.elcometer.nl

SPAIN

Sagola SA
+34 945 214 150
sagola@sagola.com
www.sagola.com

JAPAN

Elcometer KK
+81 (0)3 6869 0770
jp_info@elcometer.com
www.elcometer.co.jp

REPUBLIC OF SINGAPORE

Elcometer (Asia) Pte Ltd
+65 6462 2822
asia@elcometer.com
www.elcometer.com

UNITED ARAB EMIRATES

Elcometer LLC
+971 4 295 0191
+971 4 280 3526
uae_sales@elcometer.com
www.elcometer.ae

UNITED STATES OF AMERICA

Elcometer Inc
WARREN, MI: +1 248 650 0500
HOUSTON, TX: +1 713 450 0631
Toll Free: 800 521 0635
inc@elcometer.com
www.elcometer.com

Elcometer is a registered trademarks of Elcometer Limited. Sagola DPC is a trademark of Elcometer Limited. All other trademarks are acknowledged.

Due to our policy of continuous improvement, Elcometer Limited reserves the right to change specifications without notice.

All products are covered by a comprehensive warranty, for more information visit www.elcometer.com/warranty.

© Elcometer Limited, 2023. All rights reserved. No part of this document may be reproduced, transmitted, stored (in a retrieval system or otherwise), or translated into any language, in any form, or by any means, without the prior written permission of Elcometer Limited.